



PGAM1 Protein Crystal

Catalog: CBCRY11

PRODUCT INFORMATION

Name	PGAM1 Protein Crystal
Cat No.	CBCRY11
Fragment	Full length
Protein Description	Phosphoglycerate Mutase 1
Background	The B-type cofactor-dependent phosphoglycerate mutase (dPGM-B) catalyzes the interconversion of 2-phosph oglycerate and 3-phosphoglycerate in glycolysis and gluconeogenesis pathways using 2,3-bisphosphoglycerate as the cofactor. The crystal structures of human dPGM-B bound with citrate were determined in two crystal for ms. These structures reveal a dimerization mode conserved in both of dPGM and BPGM (bisphosphoglycerate mutase), based on which a dPGM/BPGM heterodimer structure is proposed. Structural comparison supports th at the conformational changes of residues 13-21 and 98-117 determine PGM/BPGM activity differences.
Protein Classification	isomerase hydrase
Structure Weight	361525.84 Da
Method	X-Ray Diffraction
Resolution	2.8 Å
Ligand Chemical Component	citric acid; chloride ion
Reference	Wang, Y., Wei, Z., Liu, L., Cheng, Z., Lin, Y., Ji, F., Gong, W. (2005) Crystal structure of human B-type phos phoglycerate mutase bound with citrate. Biochem.Biophys.Res.Commun. 331: 1207-1215