



# HQExo™ Exosome-CHO

**Catalog: Exo-GC05**

## PRODUCT INFORMATION

---

<b>Name</b>	HQExo™ Exosome-CHO
-------------	--------------------

<b>Cat No.</b>	Exo-GC05
----------------	----------

<b>Source</b>	Exosome derived from Chinese Hamster Ovary cell (CHO cell line)
---------------	---

<b>Product Overview</b>	<p>Exosomes are small extracellular vesicles with sizes of 30-160 nm, which is a subtype of extracellular vesicles (EVs). Exosomes are secreted by all cell types and play a crucial role in intercellular signaling and communication. Exosomes are nano-sized shuttles that transport signaling RNAs, lipids, peptides and proteins to other cells. Studying exosome contents to get an insight into their roles in disease initiation and progression. HQExo™ exosomes derived from Chinese Hamster Ovary Cell (CHO) could use as positive controls for exosome isolation and functional research, such as ELISA, FACS, WB. Based on its molecular transfer function, high biocompatibility and low cytotoxicity to normal tissue, exosomes become a promising carrier for therapeutic molecular delivery system. Exosome can be purified by ultracentrifugation or size exclusion chromatography and characterized by nanoparticles tracking analysis (NTA) and ELISA or WB. Lyophilization is useful for a long-term storage at 4°C, and frozen liquid should be kept at -20°C to -80°C. Creative Biostructure standard exosome products guarantee higher purity and quality to meet our customer's downstream analyses.</p>
-------------------------	---

<b>Form</b>	Lyophilized powder/ frozen liquid
-------------	-----------------------------------

<b>Concentration</b>	>1x10 <sup>8</sup> particles
----------------------	------------------------------

<b>Storage</b>	Lyophilized powder store at 4 °C. Frozen liquid store at -20°C to -80°C. Recommended to avoid repeated freeze-and-thaw cycles.
----------------	--

<b>Reconstitution</b>	Reconstitute lyophilized exosome by adding deionized water for a desired final concentration. Centrifuge before opening to ensure exosomes are at bottom, resuspend exosomes by pipetting and/or vortex, please avoid bubbles. Centrifuge again and mix well for using.
-----------------------	---